



Product Data Sheet

ANCHORBOND D2 PVA

Revision 09.2001

General Information

ANCHORBOND D2 PVA is a formulated adhesive based on an aqueous polyvinyl acetate polymer emulsion. This is available in white or yellow.

Recommended Use

- General purpose woodworking adhesive meeting the requirements of BS 4071.

Bonding Instructions

- Adhesive to be applied to a clean, dust and grease free surface at a suitable coating weight to induce maximum bond performance.
- Adhesive which has been stored for prolonged periods should be agitated before use.

Storage and Handling

- Store between 5°C - 25°C.
- This product should not be allowed to freeze.

Cleaning

- Wash all equipment with water before adhesive dries.
- Dried adhesive should be soaked for 24 hours.

Typical properties

Description	Value
Solids Content	44%
Viscosity (Brookfield RVT, Spindle 4, Speed 5rpm)	135 poise @ 20°C
Bond Strength	High
Drying Time	Fast
Shelf Life	1 Year

Packaging

- 20Kg Jerricans.

Health & Safety

ALWAYS READ RELEVANT MATERIAL SAFETY DATA SHEET BEFORE USE.

Redwood Innovations, 18 Arnside Road, Waterlooville
HAMPSHIRE, PO7 7UP
Phone No: +44 (0)23 9223 3310 Fax No: +44 (0)23 9223 3320

Data herein is furnished for information purposes only, and is believed to be reliable. Redwood Innovations and any subsidiary companies cannot assume responsibility for the results obtained by others, over whose methods it does not control. It is the users' responsibility to determine suitability for the user's intended purpose of any product and any product method mentioned herein, and to adopt any such precautions as may be necessary to protect property and persons against hazards that may be involved in the handling and use thereof. We recommend that each prospective user test the proposed application to determine the suitability of this product for the purpose intended prior to incorporating any product or application in its manufacturing process using this data as a guide, Redwood Innovations accept no liability arising out of the use of this information or the products described herein.

©Copyright

This technical data sheet is covered by copyright and must not be reproduced or copied in part or whole by photocopying, electronic reproduction or any other means, without permission of Redwood Innovations.